



PRODUCT CATALOGUE

 **TARMAC**
TIMBER GROUP, SA

Quality. Diversity. Service.

TREATED PINE



F7 DRESSED ALL ROUND



F7 ROUGHER HEADER



SQUARE POSTS

F7 KD DAR H3.

F7 Treated Pine is used for general purpose construction largely in outdoor applications. All of our structural F7 treated pine timber is graded for appearance, strength, durability and performance for that outdoor project.

Standard sections are:

42 x 19 | 70 x 19 | 90 x 19 | 140 x 19 | 190 x 19

42 x 35 | 70 x 35 | 90 x 35 | 120 x 35 | 140 x 35 | 190 x 35

70 x 45 | 90 x 45 | 120 x 45 | 140 x 45 | 190 x 45 | 240 x 45 | 290 x 45

Standard Lengths 1.8 / 2.4 / 3.0 / 3.6 / 4.2 / 4.8 / 5.4 / 6.0 metres

F7 KD RH H3.

Standard sections are:

70 x 35 | 90 x 35 | 120 x 35 | 140 x 35 | 190 x 35

70 x 45 | 90 x 45 | 120 x 45 | 140 x 45 | 190 x 45 | 240 x 45 | 290 x 45

Standard Lengths 2.4 / 3.0 / 3.6 / 4.2 / 4.8 / 5.4 / 6.0 metres

F7 KD DAR H4 Square Posts.

Standard sections are:

70 x 70 | 90 x 90 | 120 x 120

Standard Lengths 2.4 / 2.7 / 3.0 / 3.6 / 4.2 / 4.8 / 5.4 / 6.0 metres

ADDITIONAL PRODUCT SERVICES

- Treatment upgrades to H4 | H5
- MGP10 and F5 treated KD sections
- F7 LOSP DAR/RH treated sections
- F7 DAR ACQ treated sections
- F7 RH ACQ treated sections
- ACQ treated posts
- Sawn treated pine
- Custom sizes and profiles
- Optimised precision docking facility
- Packs docked to length

All F7 products are graded and treated in accordance with the relevant Australian Standards and backed up with in-house and 3rd party Quality Assurance Programs and testing.

TREATED PINE



DECKING

ACQ KD Treated Pine Decking.

ACQ H3 KD Pine decking is graded for appearance, strength and treated for above ground use against fungal decay and attack from insects, such as termites and borers. It is largely used for outdoor decking as well as screening projects. All 22mm decking has one DAR smooth machined side and one ribbed side.

Standard sections are:

70 x 22 | 90 x 22

Standard Lengths 2.4 / 3.0 / 3.6 / 4.2 / 4.8 / 5.4 / 6.0 metres

ACQ Clear Pine 90 x 22 Premium Decking is also available



CAPPING and CUSTOM PROFILES

H3 KD Capping.

Capping and custom profiles are a speciality at Tarmac SA. Whatever your requirements, talk to our sales or technical representatives for prompt and informed service.

Standard sections are:

70 x 35 DAR Capping 9mm | 25mm Groove

Standard Lengths 3.6 / 4.2 / 4.8 / 5.4 / 6.0 metres

90 x 45 DAR Lip Gable Capping

Standard Lengths 5.4 metres



PINE CLADDING

H3 KD Treated Pine Cladding PAT 402 or PAT 401

Shiplap profiles are a traditional external cladding option, graded for appearance and treated to H3 for outdoor performance.

140 x 19

Random Lengths 3.6 - 6.0 metres

ADDITIONAL PRODUCT SERVICES

DECKING


- Treatment upgrades
- Custom sizes and profiles
- Optimised precision docking facility
- Packs docked to length
- Hardwood timber decking also available on request.

CAPPING CUSTOM PROFILES

- Treatment upgrades to H4 / H5
- ACQ Treatment
- Custom sizes and profiles available on request

TARMAC (SA) only use plantation grown pine from responsibly managed forests with "Chain of Custody" documentation and certification.

FRAMING



SAFEFRAME H2-F "BLUE"

MGP10 H2-F

H2-F Blue is structural pine framing which has been specifically treated to protect against termite attack. It is suitable for residential and specified commercial applications such as wall frames, roof trusses and ensures your framing project is termite resistant.

Standard sections are:

70 x 35 | 90 x 35 | 120 x 35 | 140 x 35 | 190 x 35

70 x 45 | 90 x 45 | 120 x 45 | 140 x 45 | 190 x 45 | 240 x 45 | 290 x 45

Standard Lengths 2.4 / 3.0 / 3.6 / 4.2 / 4.8 / 5.4 / 6.0 metres(DTL)

MGP 10

Used for general purpose and house construction, MGP graded pine is graded and tested according to Australian Standards.

Standard sections are:

70 x 35 | 90 x 35 | 120 x 35 | 140 x 35 | 190 x 35

70 x 45 | 90 x 45 | 120 x 45 | 140 x 45 | 190 x 45 | 240 x 45 | 290 x 45

Standard Lengths 2.4 / 3.0 / 3.6 / 4.2 / 4.8 / 5.4 / 6.0 metres (DTL)

Pine Sawn Sections.

170 x 19

150 x 25 | 200 x 25

38 x 38 | 150 x 38

75 x 75 | 125 x 75 | 100 x 100 | 150 x 150 | 200 x 200



MGP FRAMING



SAWN SECTIONS

ADDITIONAL PRODUCT SERVICES

MGP FRAMING

- Treatment to H2-F Blue "Safe Frame"
- MGP12 and MGP15
- F5 and Non Structural
- Optimised precision docking
- Packs docked to length
- Small pallet grade section

All framing products are graded and treated in accordance with the relevant Australian Standards and backed up with in-house and 3rd party Quality Assurance Programs and testing.

LINING, BOARDS and FLOORING



PINE LINING

Pine Lining.

Tongue and groove pine linings are available in a range of profiles for general purpose construction, largely for indoor classic or contemporary applications.

Standard profiles are:

PAT321 and PAT302

Standard Lengths 2.1 / 2.4 / 2.7 / 4.8 metres



PINE 19mm BOARDS

Pine Boards.

19mm Pine boards are available for a variety of indoor and outdoor applications.

We stock a diverse range of KD DAR H3 and untreated pine sizes.

Standard sections are:

42 x 19 | 70 x 19 | 90 x 19 | 140 x 19 | 190 x 19

Standard Lengths 2.4 / 3.0 / 3.6 / 4.2 / 4.8 / 5.4 / 6.0 metres



PINE FLOORING

Pine Flooring.

Tongue and groove flooring is available in a range of profiles for general purpose flooring largely for indoor applications.

Standard profiles are:

PAT103 and PAT312

Standard Lengths 4.8 / 5.4 metres

ADDITIONAL PRODUCT SERVICES

- Custom sizes and profiles
- Optimised precision docking facility
- Packs docked to length
- H3 / H4 / H5 Treatment
- LOSP Treatment
- 19mm RH machine finish available

Radiata pine is a versatile, strong timber which is suited to a variety of uses.

- Easy to paint or stain
- Multipurpose item for construction
- Perfect for furniture, joinery, shelving and trim boards

LANDSCAPING and FENCING



SLEEPERS

H4 Pine Sleepers.

H4 Landscape sleepers are treated for in-ground use and are durable against fungal decay and attack from insects, such as termites & borers. Standard sections are:

150 x 50 | 200 x 50 | 200 x 75 | 200 x 100

Standard Lengths 1.2 / 1.8 / 2.4 / 3.0 / 3.6 metres

"ECOWOOD" range of ACQ H4 Pine Sleepers.

Standard sections are:

200 x 50 | 200 x 75 | 200 x 100

Standard Lengths 2.4 / 3.0 metres

Precision Posts.

Treated pine precision posts are commonly used for outdoor and inground applications and are a popular fencing product.

Standard sections are:

80mm | 100mm | 125mm

Standard Lengths 1.8 / 2.4 / 3.0 / 3.6 metres

150mm | 200mm | 250mm | 300mm

Standard Lengths 1.8 / 2.4 / 3.0 / 3.6 / 4.8 / 5.4 / 6.0 / 8.0 metres

Treated Pine Shaven and Cambio Posts.

Standard sizes are:

75 - 100 | 100 - 125 | 125 - 150 | 150 - 200 | 200 - 225

Standard Lengths 1.8 / 2.1 / 2.4 / 3.0 / 3.6 metres

Longer lengths on request.



PRECISION POSTS



SHAVEN / CAMBIO POSTS

ADDITIONAL PRODUCT SERVICES

SLEEPERS

- Treatment upgrades to H5
- Packs docked to length
- Hardwood sleepers

PRECISION POSTS

- Treatment upgrades to H5
- Packs docked to length

SHAVEN and COMBIO POSTS

- Treatment upgrades to H5
- Packs docked to length
- ACQ treated also available

Material Safety Data Sheets are available to describe the different chemical properties and also to provide information on emergency procedures and safety handling requirements.

LANDSCAPING and FENCING



PICKETS

Treated Pine Pickets.

70x19 DAR H3 smooth machined profiled finish and come in 200 piece packs.

Standard Lengths

0.9 / 1.2 / 1.5 / 1.8 metres



PALINGS

Treated Pine Palings.

150 x 12 | 150 x 17

Standard Lengths 1.5 / 1.8 / 2.4 metres

ACQ Treated Palings available.



LATTICE

Treated Pine Lattice.

SQUARE 100mm | TRADITIONAL 100mm | COLONIAL 50mm | GOTHIC 50mm

1.8 x 0.6 | 1.8 x 0.9 | 1.8 x 1.2 | 1.8 x 1.5 | 1.8 x 1.8

2.4 x 0.6 | 2.4 x 0.9 | 2.4 x 1.2 | 2.4 x 1.5 | 2.4 x 1.8

3.0 x 0.6 | 3.0 x 0.9 | 3.0 x 1.2 | 3.0 x 1.5 | 3.0 x 1.8

ADDITIONAL PRODUCT SERVICES

LATTICE

- Custom sizes and profiles
- Fence extensions
- Fan style garden lattice
- Stainless steel stapled option available

GATES

- Available in hardwood or treated pine
- Standard profiles:
 - STD | Windsor | Gothic
 - 1.2 x 0.9m
 - 1.5 x 0.9m
 - 1.8 x 0.9m
 - 1.2 x 1.2m
 - 1.5 x 1.2m
 - 1.8 x 1.2m



Tarmac uses preservative treatment technology supplied by Koppers Performance Chemicals. For technical information about any of the preservative technologies, please consult the Koppers Performance Chemicals website, kopperspc.com.au. You can also download the limited Guarantee.

Lifewood®, Naturewood®, Determite® and Protim® are registered trademarks of Koppers Inc or its subsidiaries. Lifewood, Naturewood, Determite and Protim are treated timber products are produced by independently owned and operated wood preserving facilities. 2015 © Koppers Performance Chemicals Australia.



TARMAC TIMBER GROUP SA

51 - 59 Kinkaid Avenue North Plympton South Australia 5037

Telephone 08 8295 8356 Fax 08 8295 1032

Email sales@tarmac.com.au

www.tarmac.com.au